


ActivPanel 10

Premium



DISPLAY

Screen Size and Resolution	55" 4K; UHD (3840 x 2160 @ 60 Hz) 65" 4K; UHD (3840 x 2160 @ 60 Hz) 75" 4K; UHD (3840 x 2160 @ 60 Hz) 86" 4K; UHD (3840 x 2160 @ 60 Hz)
Backlight Technology	QLED - High Density Direct LED Backlight
Full-Array Local Dimming	Yes
Screen Type	TFT LCD
Blue Light Reduction	Yes
Optical Bonded Glass	Yes
Aspect Ratio	16:9
Display Area	55": 1212 x 682 mm (47.7 x 26.9 in) 65": 1430 x 806 mm (56.3 x 31.7 in) 75": 1652 x 930 mm (65 x 36.6 in) 86": 1895 x 1066 mm (74.6 x 42 in)
Display Colours	1.07 Billion (10-bit)
LCD Viewing Angle	178°
LCD Response Time	8 ms
LCD Refresh Rate (Panel)	60 Hz
LED Lifespan	50,000 hours
Static Contrast Ratio (up to)	16,500:1
Dynamic Contrast Ratio (up to)	900,000:1
Typical Max. Brightness	55": 977 cd/m ² 65": 942 cd/m ² 75": 880 cd/m ² 86": 1034 cd/m ²
Ambient Light Sensor	Yes
Glass Hardness	9H (pencil), 7 (Mohs)
Glass Type	Heat tempered
Glass Thickness	3.2 mm
Glass Coating	Anti-Glare, Anti-Fingerprint, Anti-Smudge

COMPUTING

Operating System	No OS - Secure by Design
Compatible Promethean Devices	OPS-M, OPS-A, Chromebox

AUDIO

Integrated Soundbar	2 x 25 W + 20 W Subwoofer* <i>*Subwoofer not included on 55"</i>
Integrated Microphone	8 Mic Array

INTERACTIVITY

Vellum Touch Technology	Yes
Continuous Touch Points	50
Touch Resolution	32768 x 32768 px
Touch Response Time	3 ms
Touch Accuracy	>1 mm
Scan Rate	500 Hz
Gesture and Edge Swipes	Windows® supported
Unique Pen IDs	3
Pen and Touch Differentiation	Yes
Palm Erase	Yes
Palm Rejection	Yes
Writing-hand Palm Rejection	Yes
Pens Included	2 x Passive battery-less pens, 1 x Active pen
Integrated Wireless Active Pen Charger	Yes
Active Pen Features	Air Mouse, Pressure Sensitive Hand Writing, Red Dot Highlighter, Pagination Control
Pen Holder	Integrated full-length pen tray and side pockets
Pen Tip Diameter	3 mm
Pen Eraser Diameter	7 mm
Touch-enabled PiP	Yes
Compatibility	Windows® 10 and 11; macOS® Ventura 13 and Sonoma 14; Linux® Ubuntu 22.04 to 24.04 LTS; ChromeOS™; Android 14

CONNECTIVITY

OPS Slot	1
HDMI In (Rear)	2 x 2.1
Display Port	1 x 1.4
USB-A (Rear)	3 x 3.2 Gen 1
USB-A (Rear)	1 x 2.0
USB-B (Touch, Rear)	3 x 3.0
USB-C (Rear)	1 x 3.2 Gen 1 (100 W Power Delivery)
USB-A (Front)	1 x 3.2 Gen 1
USB-C (Front)	1 x 3.2 Gen 1 (65 W Power Delivery)
USB-A (Top)	1 x 3.0
USB-C (Top)	1 x 3.0
USB-C Out	1 x 3.0
HDMI Out	1 x 2.0
LAN In (RJ45)	10/100/1000
LAN Out (RJ45)	10/100/1000
Wake-on-LAN	Yes
S/PDIF	Optical
Audio Out (3.5 mm)	1
Serial (RS232)	1

ActivPanel 10

Premium

POWER

Power Requirements	100 V - 240 V AC
Max. Energy Star Reported Luminance 500 cd/m ²	55": 68 W 65": 89 W 75": 106 W 86": 117W
Power Consumption (Standby)	<= 0.5 W
Ultra-quiet Fanless Design	Yes

ENVIRONMENTAL

Operating Temperature	0 °C to 40 °C (32 °F to 104 °F)
Storage Temperature	-15 °C to 55 °C (-5 °F to 131 °F)
Operating Humidity	20% to 80% non-condensing humidity
Storage Humidity	20% to 90% non-condensing humidity

COMPLIANCE & CERTIFICATION

Regulatory Certifications	CE, FCC, IC, UL, CUL, CB, RCM
Energy Star Certified	Yes
Trade Agreements Act (TAA) Compliance	Yes

PHYSICAL SPECIFICATIONS

Panel Dimensions	55": 1266 x 103 x 809 mm (49.8 x 4.1 x 31.9 in) 65": 1489 x 107 x 935 mm (58.6 x 4.2 x 36.8 in) 75": 1710 x 107 x 1060 mm (67.3 x 4.2 x 41.7 in) 86": 1955 x 107 x 1197 mm (77 x 4.2 x 47.1 in)
Packed Dimensions	55": 1045 x 170 x 895 mm (41.1 x 6.7 x 35.2 in) 65": 1639 x 185 x 1019 mm (64.5 x 7.3 x 40.1 in) 75": 1860 x 185 x 1143 mm (73.2 x 7.3 x 45 in) 86": 2105 x 185 x 1280 mm (82.9 x 7.3 x 50.4 in)
Panel Net Weight	55": 29.2 kg (64.4 lbs) 65": 39.4 kg (86.9 lbs) 75": 51.4 kg (113.3 lbs) 86": 67.9 kg (149.7 lbs)
Packed Weight	55": 37.2 kg (82 lbs) 65": 49.6 kg (109.4 lbs) 75": 63.2 kg (139.3 lbs) 86": 81.6 kg (179.9 lbs)
Wall Mount Dimensions	55": 400 x 400 mm (15.8 x 15.8 in) 65": 600 x 400 mm (23.6 x 15.8 in) 75": 800 x 400 mm (31.5 x 15.8 in) 86": 800 x 600 mm (31.5 x 23.6 in)

PACKED CONTENTS

What's in the Box	1x ActivPanel 10 Premium 1x 3 m Length HDMI Cable 1x 3 m Length USB Cable (A-B) 1x 3 m Regional Power Cable 1x 3 m Length USB-C Cable 1 x Remote Control 2x Batteries for Remote Control 2x Passive Pens 1x ActivPen 2 1x ActivPen 2 Charger and BT module 1x USB-C ActivPen 2 Charging Cable 1x Sealed Antistatic Bag 8x Desiccant 4x VESA Mount Screws (M8) 1x Mini PC Bracket with Screws 1x Quick Install Guide 1x Promethean ActivSuite Activation Hangtag
-------------------	---

INSTALLATION

The installation of this product should be completed by a qualified installer. Use of components not supplied by Promethean or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit [Support.PrometheanWorld.com](https://support.prometheanworld.com).

WARRANTY

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit [PrometheanWorld.com/Warranty](https://support.prometheanworld.com/Warranty).

SUPPORT

For all Promethean products, visit [Support.PrometheanWorld.com](https://support.prometheanworld.com).

EDUCATION SOFTWARE LICENCE

ActivInspire® Professional	1 x Single User Licence Included
Promethean ActivSuite™	2 x Seats Included


ActivPanel 10

Premium

TECHNICAL DRAWINGS


55"

Front




DIM	DIMENSION
A	1391mm [54.7in]
B	1212mm [47.7in]
C	682mm [26.9in]
D	100mm [3.9in]

Back



DIM	DIMENSION
E	125mm [4.9in]
F	83mm [3.2in]
G	809mm [31.9mm]
H	1266mm [49.9in]
I	400mm [15.7in]
J	400mm [15.7in]
K	192mm [7.6in]
L	217mm [8.5in]
M	1307mm [51.5in]
N	56mm [2.2in]

Side



* Optional ActivPanel fixed wall mount available to purchase


ActivPanel 10

Premium

TECHNICAL DRAWINGS


65"

Front




DIM	DIMENSION
A	1642mm [64.6in]
B	1430mm [56.3in]
C	806mm [31.7in]
D	100mm [4.0in]

Back



DIM	DIMENSION
E	130mm [5.1in]
F	87mm [3.4in]
G	935mm [36.8in]
H	1489mm [58.6in]
I	600mm [23.6in]
J	400mm [15.7in]
K	244mm [9.6in]
L	291mm [11.5in]
M	1529mm [60.2in]

Side



* Optional ActivPanel fixed wall mount available to purchase


ActivPanel 10

Premium

TECHNICAL DRAWINGS - AP9-A75-NA


75"

Front




DIM	DIMENSION
A	1896mm [74.7in]
B	1652mm [65.0in]
C	930mm [36.6in]
D	100mm [4.0in]

Back



Side



DIM	DIMENSION
E	130mm [5.1in]
F	87mm [3.4in]
G	1060mm [41.7in]
H	1710mm [67.3in]
I	800mm [31.5in]
J	400mm [15.7in]
K	446mm [17.6in]
L	213mm [8.4in]
M	1751mm [68.9in]

* Optional ActivPanel fixed wall mount available to purchase


ActivPanel 10

Premium

TECHNICAL DRAWINGS


86"

Front




DIM	DIMENSION
A	2174mm [85.6in]
B	1895mm [74.6in]
C	1066mm [42.0in]
D	101mm [4.0in]

Back



DIM	DIMENSION
E	130mm [5.1in]
F	87mm [3.4in]
G	1197mm [47.1in]
H	1955mm [77.0in]
I	800mm [31.5in]
J	600mm [23.6in]
K	291mm [11.5in]
L	307mm [12.1in]
M	1996mm [78.6in]

Side




* Optional ActivPanel fixed wall mount available to purchase



Dieses Dokument, wird Ihnen zur Verfügung gestellt von:

ppm-stuttgart dem systemhaus für digitale technik direkt bei stuttgart



Diktiergeräte & Spracherkennung

Professionelle Diktierlösungen: Als Spezialisten für Diktiergeräte und Spracherkennung betreuen wir an unseren Standorten Stuttgart und Berlin Kunden aus ganz Deutschland. Wir beraten zur optimalen Diktierung, installieren die technischen Komponenten, schulen Ihre Mitarbeiter und betreuen Ihre Diktierlösung.

Experten-Beratung für Diktierlösungen durch unsere Büros in Stuttgart und Berlin

TOP-Markenequipment

- Philips Diktiergeräte
- Olympus Diktiergeräte
- Professionelle Diktiergeräte
- Dragon Spracherkennung
- Dragon Anywhere
- EPoS Senheiser




Touchscreens

Professionelle Touchdisplays und Touchscreens für inspirierende Präsentationen: Wir bieten Touchdisplays von Legamaster, Newline und Kindermann in Größen wie 55", 65", 75", 84" und 98" Zoll. Perfekt für unterschiedliche Einsatzfelder. Neben der Beratung profitieren Sie auf Wunsch von einer fachgerechten Installation, Einrichtung und Einweisung.

Touchscreen Experten-Beratung durch unsere Büros in Stuttgart und Berlin

Touchdisplay Varianten

- Touchscreen 55 Zoll
- Touchscreen 65 Zoll
- Touchscreen 75 Zoll
- Touchscreen 84 Zoll
- Touchscreen 98 Zoll
- Touchscreens alle Größen
- Touchscreen Zubehör




Präsentationstechnik

Professionelle Präsentationstechnik für Ihren Konferenzraum: Wir bieten Touchdisplays, Projektoren, Leinwände, Videokonferenztechnik sowie ergänzende Komponenten zur einfachen Mediensteuerung. Neben der Beratung profitieren Sie auf Wunsch von einer fachgerechten Installation, Einrichtung und Einweisung.

Touchscreen Experten-Beratung durch unsere Büros in Stuttgart und Berlin

Professionelles Equipment

- Mediensteuerung Audio & Video
- Konferenzraum-Technik
- Videokonferenz-Technik
- Kindermann Klick&Show
- Kabellose HDMI Übertragung



Drucker & Kopierer

Für Ihre perfekten Drucke: Von einfachen Laserdruckern und Fotokopierern bis hin zum High-End-Multifunktionsdrucker. Neben der Beratung profitieren Sie auf Wunsch von einer fachgerechten Einrichtung, Einrichtung und Einweisung.

Drucker Experten-Beratung durch unsere Büros in Stuttgart und Berlin

TOP-Markenequipment

- Drucker DIN A4 Farbe
- Drucker DIN A3 Farbe
- Drucker DIN A4 s/w
- Drucker DIN A3 s/w
- Drucker mit Netz
- Drucker Toner




Beamer

Beamer renommierter Markenhersteller: Wir bieten ein umfangreiches Sortiment unterschiedlicher Beamer für die verschiedensten Anwendungsbereiche. Neben der Beratung profitieren Sie auf Wunsch von einer fachgerechten Installation, Einrichtung und Einweisung.

Beamer Experten-Beratung durch unsere Büros in Stuttgart und Berlin

TOP-Markenequipment

- Epson Beamer
- NEC Beamer
- Optoma Beamer
- DA Lite Leinwände
- Beamer Zubehör
- Beamer Deckenhalterungen



Projektorleinwände

Hochwertige Leinwände für eine perfekte Präsentation oder ein optimales Heimkino-Erlebnis: Wir bieten ein umfangreiches Sortiment unterschiedlicher Projektor-Leinwände für die verschiedensten Anwendungsbereiche. Neben der Beratung profitieren Sie auf Wunsch von einer fachgerechten Installation, Einrichtung und Einweisung.

Leinwand Experten-Beratung durch unsere Büros in Stuttgart und Berlin

Leinwand Varianten

- Heimkino-Leinwand
- Leinwände für Konferenzraum
- Motor-Leinwände
- Rahmen-Leinwände
- Leinwände für Deckenbau
- Mobile Leinwände
- Tension Leinwände

Viele weitere Infos finden Sie unter:
ppm-stuttgart.de oder DIKTAT-STUTTGAART.de

ppm-stuttgart
 ester/lorenz gbr.
 friedrichstraße 18 - 22
 70736 fellbach
 tel.: 0711 / 34 16 93 - 60
 fax: 0711 / 34 16 93 - 66
 mail: ppm@ppm-stuttgart.de