

Product Specification


1.Product Feature



- ✧ Plug and play with integrated design.
- ✧ Featuring FOV 120° , with a 1/2.3-inch 12MP Sony sensor.
- ✧ 2 Zooming Pre-sets for instant setting up.
- ✧ 8W+3W Speakers that satisfies the demand for larger space.
- ✧ Six element MEMS microphone array with high sensitivity and 8 metres of voice pickup range.
- ✧ Noise reduction, echo cancellation, anti-reverberation, built-in AGC algorithm that enhances voice collection.
- ✧ Supports connecting with a laptop, working as a camera, speaker, and microphone.
- ✧ Flexible installation including wall mount or put it on a desk.
- ✧ Support for POE power supply.

MAXHUB

2.Dimension



3.Camera Parameters

Pixel	12M
Resolution and Frame Rate	<p>H.264/MJ:</p> <p>(1)3840 × 2160 (2)2560 × 1440</p> <p>(3)1920 × 1080 (4)1280 × 720</p> <p>(5)1024 × 576 (6)960 × 540</p> <p>(7)800 × 600 (8)640 × 480</p> <p>(9)640 × 360 (10)480 × 270</p> <p>(11)352 × 288 (12)320 × 240</p> <p>YUY2:</p> <p>(1)640 × 480 (2)640 × 360</p> <p>(3)480 × 270 (4)352 × 288</p> <p>(5)320 × 240 (6)320 × 180</p> <p>(7)160 × 120</p>

MAXHUB

Output Format	MJPEG;YUY2;H.264
Field of View	FOV 120° (D)
Adjustable Angle	±15°
Focus mode	fixed-focus
Focus distance	1m

4.Sound reinforcement

Sound Channel	1.1
Output Power	8W+3W

5. Adapterization

Quantity	6
Voice Pickup Range	100Hz~7.5kHz

6.Power

Power Requirements	12V
Overall Power(Max.)	10W

7.I/O Port

USB Type-C	1
Audio OUT	1
DC 2.0	1
RJ45	1

MAXHUB

8. Physical Specifications

Dimension L × H × D		462 × 76 × 93 mm
Dimension(package) L × W × H	1pcs	538 × 160 × 169mm
	4pcs	628 × 433 × 380mm
Net Weight		1.05kg
Gross Weight	1pcs	2.55kg
	4pcs	12.00kg

9. Accessories

USB Cable	× 1
Remote Control (Use with CR2032 3V battery only)	× 1
Power Adapter	× 1
Wall-mounted Components	× 1
Peeping Cover	× 1

10. Environmental Conditions

Operation Temperature	0°C – 40°C
Operation Humidity	10% – 90%RH
Storage Temperature	-20°C – 60°C
Storage Humidity	10% – 90%RH
Altitude	Below 5000 meters

11.Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product.

The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product.

The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance.

Should the above-mentioned change in the document become necessary, the document may be updated without written notice.